Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1626GMS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2		"Ask CAS" for self-help around the clock
NEWS 3	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS 4	FEB 21	STN AnaVist, Version 1.1, lets you share your STN AnaVist visualization results
NEWS 5	FEB 22	The IPC thesaurus added to additional patent databases on STN
NEWS 6	FEB 22	Updates in EPFULL; IPC 8 enhancements added
NEWS 7	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS 8	MAR 03	Updates in PATDPA; addition of IPC 8 data without attributes
NEWS 9	MAR 22	EMBASE is now updated on a daily basis
NEWS 10	APR 03	New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS 11	APR 03	Bibliographic data updates resume; new IPC 8 fields and IPC thesaurus added in PCTFULL
NEWS 12	APR 04	STN AnaVist $500 visualization usage credit offered
NEWS 13	APR 12	LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS 14	APR 12	Improved structure highlighting in FQHIT and QHIT display in MARPAT
NEWS 15	APR 12	Derwent World Patents Index to be reloaded and enhanced during second quarter; strategies may be affected
NEWS 16	MAY 10	CA/CAplus enhanced with 1900-1906 U.S. patent records
NEWS 17	MAY 11	KOREAPAT updates resume
NEWS 18	MAY 19	Derwent World Patents Index to be reloaded and enhanced

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
http://download.cas.org/express/v8.0-Discover/

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that specific topic.

* *

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would like to better understand what you find useful. Please take approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW

Thank you in advance for your participation.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:55:08 ON 24 MAY 2006

=>
Uploading
THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Do you want to switch to the Registry File?
Choice (Y/n):
Switching to the Registry File...
Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> FILE REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 14:55:20 ON 24 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 MAY 2006 HIGHEST RN 885357-09-5
DICTIONARY FILE UPDATES: 23 MAY 2006 HIGHEST RN 885357-09-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

****

```
*                                                                    *
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,   *
* effective March 20, 2005.  A new display format, IDERL, is now    *
* available and contains the CA role and document type information. *
*                                                                    *
**********************************************************************
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10635294a.str



chain nodes :
12 13 14 15 16 17 18
ring nodes :
1 2 3 4 5 6 7 8 9 10 11
chain bonds :
1-12 2-13 8-12 12-17 13-14 13-15 14-16
ring bonds :
1-2 1-5 2-3 3-4 4-5 6-7 6-11 7-8 8-9 9-10 10-11
exact/norm bonds :
1-2 1-5 1-12 3-4 4-5 12-17 13-14 13-15 14-16
exact bonds :
2-3 2-13 8-12
normalized bonds :
6-7 6-11 7-8 8-9 9-10 10-11
isolated ring systems :
containing 1 : 6 :

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:CLASS

Stereo Bonds:

17-12 (Single Wedge).

Stereo Chiral Centers:

12 (Parity=Don't Care)

Stereo RSS Sets:

Type=Relative (Default). 1 Nodes= 12

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 14:55:34 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 468 TO ITERATE

100.0% PROCESSED 468 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 8063 TO 10657
PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 14:55:40 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 9425 TO ITERATE

100.0% PROCESSED 9425 ITERATIONS 26 ANSWERS

SEARCH TIME: 00.00.01

L3 26 SEA SSS FUL L1

=> FIL HCAPLUS

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	166.94	167.15

FILE 'HCAPLUS' ENTERED AT 14:55:46 ON 24 MAY 2006

FILE COVERS 1907 - 24 May 2006 VOL 144 ISS 22
FILE LAST UPDATED: 23 May 2006 (20060523/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3
L4 8 L3

=> s l4 and radioactive halogen
173123 RADIOACTIVE
28 RADIOACTIVES
173132 RADIOACTIVE
(RADIOACTIVE OR RADIOACTIVES)
106628 HALOGEN
21560 HALOGENS
117523 HALOGEN
(HALOGEN OR HALOGENS)
78 RADIOACTIVE HALOGEN
(RADIOACTIVE(W)HALOGEN)
L5 1 L4 AND RADIOACTIVE HALOGEN

=> s l4 and radioactive
173123 RADIOACTIVE
28 RADIOACTIVES
173132 RADIOACTIVE
(RADIOACTIVE OR RADIOACTIVES)
L6 2 L4 AND RADIOACTIVE

=> d l5 ibib abs hitstr tot

L5 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2005:123220 HCAPLUS
DOCUMENT NUMBER: 142:198079
TITLE: Preparation of radiolabeled 1-(phenylethyl)imidazole-5-carboxylic acid ester derivatives
INVENTOR(S): Zolle, Ilse; Hammerschmidt, Friedrich
PATENT ASSIGNEE(S): Austria
SOURCE: U.S. Pat. Appl. Publ., 15 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005033060	A1	20050210	US 2003-635294	20030806
PRIORITY APPLN. INFO.:			US 2003-635294	20030806

OTHER SOURCE(S): CASREACT 142:198079; MARPAT 142:198079
GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Halogenated carboxylic ester derivs. of phenylethylimidazole (I) [R1 = linear or branched C1-4 alkyl which is optionally substituted with a halogen selected from the groups consisting of F, Cl, I or Br; R2 = C1-2 alkyl; X = a nonradioactive or a **radioactive halogen**] or (II) [X = a nonradioactive or **radioactive halogen** selected from the group consisting of I, Br, and F; X = a **radioactive halogen** selected from the group consisting of 123I, 124I, 131I, 76Br, 82Br or 18F] are prepared via coupling of (S)-secondary alc. (III) (R2, X = same as above) with imidazolecarboxylate ester (IV) (R1 = same as above). Radio-halogenated forms of these compds. are ideally suited for positron-imaging of the adrenal glands, as it is known that these compds. demonstrate a selective and high rate of accumulation in the adrenals. The method of preparing these derivs. proceeds by the conversion of a stable, non-radioactive intermediate having trialkylstannyl leaving groups (V) [R1, R2 = same as above; L = an alkylstannyl group selected from the group consisting of trimethylstannyl, triethylstannyl, tri-n-propylstannyl and tri-n-butylstannyl] and (VI) (R1, R2 = same as above). These intermediates are efficiently converted to the corresponding halogenated forms by substitution of the trialkylstannyl group with the halogen or radiohalogen. Thus, 4-iodoacetophenone was reduced by DIBAH in toluene/Et2O at -78° to give 86% 1-(4-iodophenyl)ethanol which was esterified by chloroacetic anhydride in the presence of pyridine in CH2Cl2 at 0° for 2 h to give 91% 1-(4-iodophenyl)ethyl chloroacetate (VII). VII underwent enzymic hydrolysis in the presence of lipase SAM II in a mixture of tert-Bu Me ether and phosphate buffer at 0° for 2 h while keeping pH at 7.0 by adding 0.5 N aqueous NaOH solution to give 43% (R)-1-(4-iodophenyl)ethanol (98% ee) and 44% (S)-1-(4-iodophenyl)ethyl chloroacetate (>98% ee) (VIII). VIII was coupled with Me 3H-imidazole-4-carboxylate using triphenylphosphine and di(tert-butyl) azocarboxylate in THF at -30° to 0° over 2 .5 h to give 67% (R)-(+)-Me 3-[1-(4-iodophenyl)ethyl]-3H-imidazole-4-carboxylate (99% ee) which was refluxed with hexamethyltin in toluene at 135° for 17 h to give 96% (R)-(+)-Me 3-[1-[4-(trimethylstannyl)phenyl]ethyl]-3H-imidazole-4-carboxylate (IX).

IX (30 μg) was reacted with [131I]iodide in 10-20μL 0.05 N aqueous NaOH solution, 15 μL aqueous chloramine-T solution (1 mg/mL), and 6 μL 1 N aqueous HCl
solution at room temperature for 1 min to give (R)-(+)-Me 3-[1-(4-[131I]iodophenyl)ethyl]-3H-imidazole-4-carboxylate (131I-MTO), i.e. II (R1 = R2 = Me, X = 131I).

IT **813466-09-0P**
RL: BSU (Biological study, unclassified); DGN (Diagnostic use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of radiolabeled (phenylethyl)imidazolecaboxylic acid ester derivs. as positron-emission imaging agents for adrenal glands)

RN 813466-09-0 HCAPLUS

CN 1H-Imidazole-5-carboxylic acid, 1-[(1R)-1-[4-(iodo-131I)phenyl]ethyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



IT **813466-05-6P**, (R)-(+)-Methyl 3-[1-(4-Iodophenyl)ethyl]-3H-imidazole-4-carboxylate
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of radiolabeled (phenylethyl)imidazolecaboxylic acid ester derivs. as positron-emission imaging agents for adrenal glands)

RN 813466-05-6 HCAPLUS

CN 1H-Imidazole-5-carboxylic acid, 1-[(1R)-1-(4-iodophenyl)ethyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



=> d l6 ibib abs hitstr tot

L6 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2005:123220 HCAPLUS
DOCUMENT NUMBER: 142:198079
TITLE: Preparation of radiolabeled 1-(phenylethyl)imidazole-5-carboxylic acid ester derivatives
INVENTOR(S): Zolle, Ilse; Hammerschmidt, Friedrich
PATENT ASSIGNEE(S): Austria

SOURCE: U.S. Pat. Appl. Publ., 15 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005033060	A1	20050210	US 2003-635294	20030806
PRIORITY APPLN. INFO.:			US 2003-635294	20030806

OTHER SOURCE(S): CASREACT 142:198079; MARPAT 142:198079
GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Halogenated carboxylic ester derivs. of phenylethylimidazole (I) [R1 = linear or branched C1-4 alkyl which is optionally substituted with a halogen selected from the groups consisting of F, Cl, I or Br; R2 = C1-2 alkyl; X = a nonradioactive or a **radioactive** halogen] or (II) [X = a nonradioactive or **radioactive** halogen selected from the group consisting of I, Br, and F; X = a **radioactive** halogen selected from the group consisting of 123I, 124I, 131I, 76Br, 82Br or 18F] are prepared via coupling of (S)-secondary alc. (III) (R2, X = same as above) with imidazolecarboxylate ester (IV) (R1 = same as above). Radio-halogenated forms of these compds. are ideally suited for positron-imaging of the adrenal glands, as it is known that these compds. demonstrate a selective and high rate of accumulation in the adrenals. The method of preparing these derivs. proceeds by the conversion of a stable, non-**radioactive** intermediate having trialkylstannyl leaving groups (V) [R1, R2 = same as above; L = an alkylstannyl group selected from the group consisting of trimethylstannyl, triethylstannyl, tri-n-propylstannyl and tri-n-butylstannyl] and (VI) (R1, R2 = same as above). These intermediates are efficiently converted to the corresponding halogenated forms by substitution of the trialkylstannyl group with the halogen or radiohalogen. Thus, 4-iodoacetophenone was reduced by DIBAH in toluene/Et2O at -78° to give 86% 1-(4-iodophenyl)ethanol which was esterified by chloroacetic anhydride in the presence of pyridine in CH2Cl2 at 0° for 2 h to give 91% 1-(4-iodophenyl)ethyl chloroacetate (VII). VII underwent enzymic hydrolysis in the presence of lipase SAM II in a mixture of tert-Bu Me ether and phosphate buffer at 0° for 2 h while keeping pH at 7.0 by adding 0.5 N aqueous NaOH solution to give 43% (R)-1-(4-iodophenyl)ethanol (98% ee) and 44% (S)-1-(4-iodophenyl)ethyl chloroacetate (>98% ee) (VIII). VIII was coupled with Me 3H-imidazole-4-carboxylate using triphenylphosphine and di(tert-butyl) azocarboxylate in THF at -30° to 0° over 2 .5 h to give 67% (R)-(+)-Me 3-[1-(4-iodophenyl)ethyl]-3H-imidazole-4-carboxylate (99% ee) which was refluxed with hexamethyltin in toluene at 135° for 17 h to give 96% (R)-(+)-Me 3-[1-[4-(trimethylstannyl)phenyl]ethyl]-3H-imidazole-4-carboxylate (IX). IX (30 μg) was reacted with [131I]iodide in 10-20μL 0.05 N aqueous NaOH solution, 15 μL aqueous chloramine-T solution (1 mg/mL), and 6 μL 1 N aqueous HCl solution at room temperature for 1 min to give (R)-(+)-Me 3-[1-(4-[131I]iodophenyl)ethyl]-3H-imidazole-4-carboxylate (131I-MTO), i.e. II (R1 = R2 = Me, X = 131I).

IT **813466-09-0P**
RL: BSU (Biological study, unclassified); DGN (Diagnostic use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of radiolabeled (phenylethyl)imidazolecaboxylic acid ester derivs. as positron-emission imaging agents for adrenal glands)
RN 813466-09-0 HCAPLUS
CN 1H-Imidazole-5-carboxylic acid, 1-[(1R)-1-[4-(iodo-131I)phenyl]ethyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



IT **813466-05-6P**, (R)-(+)-Methyl 3-[1-(4-Iodophenyl)ethyl]-3H-imidazole-4-carboxylate
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of radiolabeled (phenylethyl)imidazolecaboxylic acid ester derivs. as positron-emission imaging agents for adrenal glands)
RN 813466-05-6 HCAPLUS
CN 1H-Imidazole-5-carboxylic acid, 1-[(1R)-1-(4-iodophenyl)ethyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L6 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1988:167377 HCAPLUS
DOCUMENT NUMBER: 108:167377
TITLE: Synthesis of (R)-(+)-3H-etomidate
AUTHOR(S): Janssen, Cor G. M.; Thijssen, Jos B. A.; Verluyten, Willy L. M.; Heykants, Jozef J. P.
CORPORATE SOURCE: Dep. Drug Metab. Pharmacokinet., Janssen Pharm., Beerse, B-2340, Belg.
SOURCE: Journal of Labelled Compounds and Radiopharmaceuticals (1987), 24(8), 909-18
CODEN: JLCRD4; ISSN: 0362-4803
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 108:167377
GI



I

AB Etomidate, (R)-(+)-ethyl-1-(1-phenylethyl)-1H-imidazole-5-carboxylate (I, R = H) is a short-acting hypnotic. A new synthesis, featuring optical resolution on a non-**radioactive** precursor and introduction of the tritium label by reductive dehalogenation of I (R = Br) is described. I (R = T) was obtained at a specific activity of 3.77 Ci/mmol and a 99.9% purity.

IT **112366-36-6P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and desulfurization of, with sodium nitrite)

RN 112366-36-6 HCAPLUS

CN 1H-Imidazole-4-carboxylic acid, 3-[1-(2-bromophenyl)ethyl]-2,3-dihydro-2-thioxo-, ethyl ester, (R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **112366-50-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 112366-50-4 HCAPLUS

CN 1H-Imidazole-5-carboxylic acid, 1-[1-(2-bromophenyl)ethyl]-, ethyl ester, (R)-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 112366-49-1
CMF C14 H15 Br N2 O2

Absolute stereochemistry.



CM 2

CRN 7664-93-9
CMF H2 O4 S



IT **112366-49-1P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation, reductive debromination, and tritiation of)
RN 112366-49-1 HCAPLUS
CN 1H-Imidazole-5-carboxylic acid, 1-[1-(2-bromophenyl)ethyl]-, ethyl ester, (R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	22.92	190.07

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.25	-2.25

STN INTERNATIONAL LOGOFF AT 14:57:33 ON 24 MAY 2006